

**FLI Preisliste 2015-02**



**ProLine**

FLI Part Number	CCD Array	Preis €
<b>E2V Technologies - 63.5mm Shutter</b>		
PL4240-1-MB	CCD42-40-1-368 back illuminated midband	50.415
PL4240-1-UV	CCD42-40-1-075 back illuminated UV, Fused Silica	50.415
PL4240-1-DD	CCD42-40-1-169 back illuminated DD NIMO	58.173
PL4240-1-FI	CCD42-40-1-385 front illuminated	35.289
PL4210-1-MB	CCD42-10-1-970 back illuminated midband AR coating	22.296
PL4210-1-BB	CCD42-10-1-319 back illuminated enhanced broadband AR coating	24.558
PL4210-1-UV	CCD42-10-1-313 back illuminated UV, Fused Silica	23.718
PL4710-1-DD	CCD47-10-1-109 deep depletion	22.360
PL4710-1-MB	CCD47-10-1-353 midband	20.098
PL4710-1-BB	CCD47-10-1-371 broadband	20.098
PL4710-1-UV	CCD47-10-1-373 UV, Fused Silica	20.292
PL4710-1 FI	CCD47-10-1-354 Front illuminated	15.508
PL77-1-FI	CCD77-00-1-357 front illuminated	14.668
PL77-1-MB	CCD77-00-1-358 midband	17.189
PL77-1-UV	CCD77-00-1-390 UV, Fused Silica	17.964
PL23042-1-FI	CCD230-42-1-D78 front illuminated	37.984
PL23042-1-BI	CCD230-42-1-143 back illuminated midband	53.518
<b>E2V Technologies - Frame Transfer</b>		
PL4720-UV	CCD47-20-1-170 Back Illuminated NIMO UV coating (no shutter)	24.558
PL4720-MB	CCD47-20-1-339 Back Illuminated AIMO midband AR coating (no shutter)	22.425
PL4720-BB	CCD47-20-1-331 Back Illuminated AIMO broadband AR coating (no shutter)	22.425
PL4720-FI	CCD47-20-1-231 Front illuminated (no shutter)	16.736
<b>Truesense Interline monochrome or color sensors. (electromechanical shutters optional)</b>		
PL11002-0	KAI-11002M Grade 0 Sensor (No shutter)	13.569
PL11002-1	KAI-11002M Grade 1 Sensor (No shutter)	9.690
PL11002-2	KAI-11002M Grade 2 Sensor (No shutter)	9.044
PL16000-1	KAI-16000M Grade 1 Sensor (No shutter)	10.983
PL16000-2	KAI-16000M Grade 2 Sensor (No shutter)	9.949
PL16050-1	KAI-16050 Grade 1 (No shutter)	12.735
PL16050-2	KAI-16050 Grade 2 (No shutter)	10.466

PL1001-1	KAF-1001 Grade 1	12.412
PL1001-2	KAF-1001 Grade 2	10.278
PL6303	KAF-6303 Grade 2	11.371
PL16801-1	KAF-16801 Grade 1	34.901
PL16801-2	KAF-16801 Grade 2	26.497
PL09000	KAF-09000	13.569
PL16803	KAF-16803	14.215
PL31600-C	KAF-31600C (Color Sensor only)	19.387
PL50100	KAF-50100 (Monochrome or Color) (65mm shutter)	20.679

**Options**

LC S	Liquid Circulation -- Standard Barb (up to 75 deg C cooling)	511
LC DD	Liquid Circulation -- Dry Disconnect	640
F-116-65	Extended AR coated window 400nm-1150nm	194
F-116-90	Extended AR coated window 400nm-1150nm w/ 90mm shutter	970
F-FSZ-65	Zeiss Fused Silica (available only with 65mm diameter)	388
ADT	Addition of Anti-Dew Technology	259
NS	No Shutter in Camera that normally includes Shutter	-588
65	Addition of 63.5mm high speed shutter (40ms exposures)	1.293
90	Addition of 90mm shutter	4.008
PL-CL ZTA	Addition of a ProLine to CenterLine direct ZTA Flange	129
PL-AT ZTA	Addition of a ProLine to Atlas direct ZTA Flange	129

**Cables ProLine**

PT-1	48" male connector to camera with open ended wires	32
Short Cable Kit	12" cable kit (power and USB from ProLine to accessory)	32
Medium Cable Kit	24" cable kit (power and USB from ProLine to accessory)	45
External Trigger	9" cable one ended connector with bare end	58
PS-PL-AU	14' length power brick w/ line cord, Australia adapter*	162
PS-PL-UK	14' length power brick w/ line cord, Unit.Kingdom adapter*	162
PS-PL-NA	14' length power brick w/ line cord, N. American adapter*	162
PS-PL-EU	14' length power brick w/ line cord, European adapter*	162

\*Camera price includes power supply and USB cable.

**Cables MicroLine**

PT-1	48" male connector to camera with open ended wires	32
External Trigger	9" cable one ended connector with bare end	58
PS-ML-AU	14' length power brick w/ line cord, Australia adapter*	162
PS-ML-UK	14' length power brick w/ line cord, Unit.Kingdom adapter*	162
PS-ML-NA	14' length power brick w/ line cord, N. American adapter*	162
PS-ML-EU	14' length power brick w/ line cord, European adapter*	162

\*Camera price includes power supply and USB cable.  
Prices above are for replacements / spares.

# MicroLine

FLI Part Number	CCD Array	Preis €			
			MLx205	<b>Sony Interline - Optional Color Sensor - Optional 25mm shutter</b>	
			MLx285	Sony ICX205 (no shutter)	5.165
			MLx674	Sony ICX285 (no shutter)	6.458
			MLx694	Sony ICX674 (no shutter)	5.941
			MLx814	Sony ICX694 (no shutter)	7.363
			MLx834	Sony ICX814 (no shutter)	6.846
				Sony ICX834 (no shutter)	6.975
				<b>TrueSense Interline - Optional Color Sensor - Optional 25mm, 45mm or 63.5mm shutter</b>	
			ML1050	KAI-01050 (no shutter)	4.906
			ML0340S	KAI-0340S Single Output (no shutter)	5.165
			ML2020	KAI-2020 (no shutter)	6.109
			ML2050	KAI-02050 (no shutter)	5.424
			ML2150	KAI-02150 (no shutter)	5.424
			ML4022	KAI-4022 (no shutter)	7.104
			ML4070	KAI-04070 (no shutter)	7.104
			ML4050	KAI-04050 (no shutter)	5.941
			ML8050	KAI-08050 (no shutter)	6.458
			ML11002-0	KAI-11002 Grade 0 Sensor (no shutter)	12.922
			ML11002-1	KAI-11002 Grade 1 Sensor (no shutter)	9.044
			ML11002-2	KAI-11002 Grade 2 Sensor (no shutter)	8.397
			ML16000-1	KAI-16000 Grade 1 Sensor (no shutter)	10.336
			ML16000-2	KAI-16000 Grade 2 Sensor (no shutter)	9.302
			ML16050-1	KAI-16050 Grade 1 Sensor (no shutter)	12.088
			ML16050-2	KAI-16050 Grade 2 Sensor (no shutter)	9.819
			ML16070-1	KAI-16070 Grade 1 Sensor (No shutter)	16.238
			ML16070-2	KAI-16070 Grade 2 Sensor (No shutter)	12.664
			ML29050-1	KAI-29050 Grade 1 Sensor (no shutter)	16.154
			ML29050-2	KAI-29050 Grade 2 Sensor (no shutter)	12.541
				<b>TrueSense Full Frame with Shutter unless noted</b>	
			ML0261	KAF-0261 with 25mm high speed shutter	6.458
			ML402-1	KAF-0402 Grade 1 with 25mm high speed shutter	4.906
			ML402-2	KAF-0402 Grade 2 with 25mm high speed shutter	4.519
			ML1001-1	KAF-1001 Grade 1 with 45mm high speed shutter	11.765
			ML1001-2	KAF-1001 Grade 2 with 45mm high speed shutter	9.632
			ML1603-2	KAF-1603 Grade 2 with 25mm high speed shutter (optional 1603E)	7.751
			ML3200	KAF-3200 Grade 2 with 25mm high speed shutter (optional 3200E)	10.983
			ML6303	KAF-6303 with 45mm high speed shutter	10.207
			ML8300	KAF-8300 Monochrome with 45mm high speed shutter	5.036
			ML09000	KAF-09000 with 63.5mm Shutter	12.922
			ML16803	KAF-16803 with 63.5mm Shutter	13.569
			ML50100	Microlens KAF-50100 with 65mm shutter	20.679
				<b>Options</b>	
			LC S	Liquid Cooling - Add price to standard MicroLine (Standard)	511
			LC DD	Liquid Cooling - Add price to standard MicroLine (Dry Disconnect)	640
			F-116-65	Extended AR coated window 400nm-1150nm for 63.5mm, 45mm, and 25mm shutters	194
			F-FSZ	Zeiss Fused Silica (available only with 65mm diameter)	388
			25	Addition of 25mm high speed shutter (6ms exposures)	905
			45	Addition of 45mm high speed shutter (25ms exposures)	1.228
			65	Addition of 63.5mm high speed shutter (40ms exposures)	1.293
			ADT	Addition of Anti-Dew Technology on 63.5mm Shutter MicroLine	259
				<b>E2V Technologies - Grade 1 - 25mm, 45mm, or 63.5mm Shutter</b>	
ML4210-1-MB	CCD42-10-1-970 back illuminated midband with 45mm shutter	21.649			
ML4210-1-BB	CCD42-10-1-319 back illuminated enhanced broadband with 45mm shutter	23.912			
ML4210-1-UV	CCD42-10-1-313 back illuminated enhanced UV with 45mm shutter	23.071			
ML4240-1-MB	CCD42-40-1-368 back illuminated midband with 45mm high speed shutter	48.476			
ML4240-1-UV	CCD42-40-1-075 back illuminated UV (NIMO) with 45mm high speed shutter, Fused Silica	48.476			
ML4240-1-DD	CCD42-40-1-169 back illuminated DD (NIMO) with 45mm high speed shutter	56.880			
ML4240-1-FI	CCD42-40-1-383 front illuminated with 45mm high speed shutter	33.350			
ML4710-1-DD	CCD47-10-1-109 deep depletion (NIMO) with 25mm or 45mm high speed shutter	21.067			
ML4710-1-MB	CCD47-10-1-353 midband with 25mm or 45mm high speed shutter	18.805			
ML4710-0-MB	CCD47-10-0-353 midband with 25mm or 45mm high speed shutter (Grade 0)	21.391			
ML4710-1-BB	CCD47-10-1-371 broadband with 25mm or 45mm high speed shutter	18.805			
ML4710-1-UV	CCD47-10-1-373 UV with 25mm or 45mm high speed shutter, Fused Silica	18.999			
ML77-1-FI	CCD77-00-1-357 front illuminated with 25mm or 45mm high speed shutter	14.215			
ML77-1-MB	CCD77-00-1-358 midband with 25mm or 45mm high speed shutter	16.542			
ML77-1-UV	CCD77-00-1-390 UV with 25mm or 45mm high speed shutter	16.995			
ML23042-1-MB	CCD230-42-1-143 midband back illuminated with 63.5mm shutter	51.579			
ML23042-1-BB	CCD230-42-1-E10 broadband back illuminated with 63.5mm shutter	51.579			
				<b>E2V Technologies 4 Output - Grade 1</b>	
ML23042-1-BI-4	CCD230-42-1-143 back illuminated with 63.5mm shutter (4 ports)	54.165			
				<b>E2V Technologies - Frame Transfer</b>	
ML4720-UV	CCD47-20-1-170 NIMO back illuminated UV (no shutter)	23.265			
ML4720-MB	CCD47-20-1-339 AIMO back illuminated midband (no shutter)	21.132			
ML4720-BB	CCD47-20-1-331 AIMO back illuminated broadband (no shutter)	21.132			
				<b>Hamamatsu - Back Illuminated Spectroscopy Camera No Shutter</b>	
ML1007	Hamamatsu S10140-1007 (optional 25mm shutter)	9.225			
ML1008	Hamamatsu S10140-1008 (optional 25mm shutter)	10.537			
ML1009	Hamamatsu S10140-1009 (optional 25mm shutter)	12.476			
ML1107	Hamamatsu S10140-1107 (optional 45mm shutter)	11.112			
ML1108	Hamamatsu S10140-1108 (optional 45mm shutter)	12.276			
ML1109	Hamamatsu S10140-1109 (optional 45mm shutter)	16.025			

# Hyperion

FLI Part Number	CCD Array	Preis €
<b>E2V Technologies - Grade 1 - 25mm, 45mm</b>		
HP4710-1-DD	CCD47-10-1-109 deep depletion with 25mm or 45mm high speed shutter	21.455
HP4710-1-MB	CCD47-10-1-353 midband with 25mm or 45mm high speed shutter	19.193
HP4710-0-MB	CCD47-10-0-353 midband with 25mm or 45mm high speed shutter (Grade 0)	21.778
HP4710-1-BB	CCD47-10-1-371 broadband with 25mm or 45mm high speed shutter	19.193
HP4710-1-UV	CCD47-10-1-373 UV with 25mm or 45mm high speed shutter, Fused Silica	19.387
HP77-1-FI	CCD77-00-1-357 front illuminated with 45mm high speed shutter	14.603
HP77-1-MB	CCD77-00-1-358 midband with 25mm or 45mm high speed shutter	16.930
HP77-1-UV	CCD77-00-1-390 UV with 25mm 45mm high speed shutter	17.383
<b>Sony (25mm shutter available)</b>		
HPx205	Sony ICX205AL sensor (no shutter)	5.553
HPx285	Sony ICX285AL monochrome sensor (no shutter)	6.846
HPx285	Sony ICX285AL color sensor with IR blocked window (no shutter)	6.975
HPx674	Sony ICX674ALG monochrome sensor (no shutter)	6.329
HPx694	Sony ICX694ALG monochrome sensor (no shutter)	7.751
<b>Truesense Interline with Electronic Shutter (25mm or 45mm shutters available)</b>		
HP2020	KAI-2020 (no shutter)	6.497
HP4022	KAI-4022 (no shutter)	7.492
HP8050	KAI-08050 (no shutter)	6.846
<b>Truesense Full Frame with Shutter unless noted</b>		
HP8300-45	KAF-8300 Monochrome with 45mm high speed shutter	5.424
<b>Truesense Color Sensors</b>		
HP4022-C	KAI-4022 Color - No Shutter (25mm or 45mm shutter available)	7.492
HP8300-45-C	KAF-8300 Color with 45mm shutter	5.424
<b>Options</b>		
-LC S	Liquid Cooling - Add price to standard Hyperion (Standard)	511
-LC DD	Liquid Cooling - Add price to standard Hyperion (Dry Disconnect)	640
F-116	Extended AR coated window 400nm-1150nm	194
F-FSZ	Zeiss Fused Silica	388
-25	Addition of 25mm high speed shutter (6ms exposures)	905
-45	Addition of 45mm high speed shutter (25ms exposures)	1.228
<b>CABLE</b>		
PT-1	48" male connector to camera with open ended wires	32
External Trigger	9" cable one ended connector with bare end	58
PS-HP-AU	14' length power brick w/ line cord, Australia adapter*	162
PS-HP-UK	14' length power brick w/ line cord, Unit.Kingdom adapter*	162
PS-HP-NA	14' length power brick w/ line cord, N. American adapter*	162
PS-HP-EU	14' length power brick w/ line cord, European adapter*	162
*Camera price includes power supply and USB cable. Prices above are for replacements / spares.		
Most models available in the MicroLine are also available in the Hyperion. Please inquire		

# Filter Wheels

		Preis €
CFW-1-5	5 position CFW for 2" or 50mm diameter filters	1.157
CFW-1-8-25	8 position CFW for 25mm diameter filters	auf Anfrage
CFW-1-8-28	8 position CFW for 28mm diameter filters	1.157
CFW-2-7	7 position CFW for 2" or 50mm diameter filters	1.674
CFW-3-10	10 position CFW for 50mm square filters	2.579
CFW-3-12	12 position CFW for 2" or 50mm diameter filters	2.579
CFW-3-20-25	20 position CFW for 25mm diameter filters	auf Anfrage
CFW-3-20-28	20 position CFW for 28mm diameter filters	2.579
CFW-4-5	5 position CFW for 50mm square filters	1.933
CFW-5-7	7 position CFW for 50mm square filters	2.191
CFW-7-7	7 position CFW for 80mm square filters	8.397
CFW-9-5	5 position CFW for 65mm square filters	2.579
CFW-10-7	7 position CFW for 65mm square filters	3.614
CL1-10	10 position CFW for 50mm square filters	3.226
CL1-20-25	20 position CFW for 25mm diameter filters	3.226
CL1-20-28	20 position CFW for 28mm diameter filters	auf Anfrage
<b>HIGH SPEED FILTER WHEELS</b>		
HS-625	High Speed Filter Wheel - 6 x 25mm filters	5.165
HS-1025	High Speed Filter Wheel - 10 x 25mm filters	6.329
HS-1032	High Speed Filter Wheel - 10 x 32mm filters	6.329
<b>Cables and Spare Power Supply</b>		
Short Cable Kit	12" cable kit (power and USB from ProLine to accessory)	32
Medium Cable Kit	24" cable kit (power and USB from ProLine to accessory)	45
PS-AC	Power supply unit for Atlas, PDF, Color filter wheels	32
CFW and CL price includes power supply and USB cable. HSFW price includes power supply and RS232 cable.		
<b>Focuser</b>		
Atlas	Atlas Digital Focuser (95.25mm Aperture)	3.226
PDF	Precision Digital Focuser (85mm Aperture)	1.875
<b>Cables and Spare Power Supply</b>		
Short Cable Kit	12" cable kit (power and USB from ProLine to accessory)	32
Medium Cable Kit	24" cable kit (power and USB from ProLine to accessory)	45
PS-AC	Power supply unit for Atlas, PDF, Color filter wheels	32
Focuser price includes power supply and USB cable.		
<b>Adapter</b>		
DT-1	2-inch Draw Tube (included with any CFW)	65
AD-AP	Universal Adapter for DF-2 with 2" brass locking ring	162
AD1	CFW / DF-2 Adapter to 2 inch SC thread	129
	2"-24 tpi male for camera side of CFW1,2,3,4 or 5	
AD2	CFW / DF-2 Adapter to T-thread (camera/pocket side)	129
	T-thread male for camera side of CFW1,2,3,4, or 5	
AD3	Converts 2" SC thread female to T-thread female	65
	2" 24tpi male with internal T-thread	
AD4	Converts 2" SC thread female to C-mount female	78
	2" 24tpi male with internal C-thread	
AD5	Converts 2" SC thread female to T-thread female w/shoulder	78
AD7	PDF to CFW-4-5 and CFW-5-7 Adapter	162
	3" 24tpi male to PDF dovetail male	
AD8	ProGuider to 3"-24 external thread (2.75" internal thread)	129

AD8L	ProGuider adapter to 3" - 24 external thread (Long)	129	PS-ML/PL-UK	14' length power brick w/ line cord, Unit.Kingdom adapter	162
AD11	Adapter for CFW and DF to STL	136	PS-ML/PL-NA	14' length power brick w/ line cord, N. American adapter	162
AD12	Adapter for PDF focuser to STL	194	PS-ML/PL-EU	14' length power brick w/ line cord, European adapter	162
AD13	Adapter for PDF focuser to 2" SC	136	PS-AC	Power supply unit for Atlas, PDF, Color filter wheels	32
AD14	Takahashi 88mm dovetail (male) for PDF	162			
AD15	Takahashi adapter for FSQ-106, Mates with AD-14, AD-25	162			
AD16	PDF Adapter for T-thread (internal)	252	AD-CAP	Theaded aperture cap for MicroLine and ProLine	65
AD17	Universal Adapter for PDF with 2" brass locking ring	162			
AD18	PDF Adapter to STL and Takahashi Reducer or Flattener	194			
AD19	PDF to T-thread Camera Adapter	136			
AD20	PDF Adapter for 2" SC Thread (Nosepieces, etc)	136			
AD21	ProLine / Nikon Adapter	226	RG 28D LRGB	FLI Research Grade 28mm Diameter LRGB filters	769
AD22	ProLine / CFW / Nikon Adapter	226	RG 28D UBVRT	FLI Research Grade 28mm Diameter UBVRT filters	769
AD23	ProLine to PDF Adapter	194	RG 28D V, R, I	FLI Research Grade 28mm Diameter V, R, I filter from UBVRT	446
AD26	CFW-4-5 to Takahashi 88mm dovetail (male)	162	RG 28D U, B	FLI Research Grade 28mm Diameter U, B filter from UBVRT	375
AD27	MicroLine / Nikon Adapter	226	RG 28D L	FLI Research Grade 28mm Diameter Luminance filter	181
AD28	ProLine or MicroLine (63.5mm Shutter) to 2" Draw Tube	136			
AD30	ProLine or MicroLine (63.5mm Shutter) to T-thread	129	RG 50D LRGB	FLI Research Grade 50mm Diameter LRGB filters	1.545
AD32	ProLine to Canon FD	226	RG 50D Ha (5nm)	FLI Research Grade 50mm Diameter H-alpha 5 nm	1.875
AD33	ProLine, CFW to Canon EOS	388	RG 50D Ha (8nm)	FLI Research Grade 50mm Diameter H-alpha 8 nm	640
AD34	ProLine, CFW to Canon FD	388	RG 50D SII	FLI Research Grade 50mm Diameter SII	640
AD37	CFW-5-7 to TeleVue NP127IS	381	RG 50D OIII	FLI Research Grade 50mm Diameter OIII	640
AD39	PDF to Meade LX200	381	RG 50D UBVRT	FLI Research Grade 50mm Diameter UBVRT filters	1.933
AD40	ProLine to CFW-6	226	RG 50D VRI	FLI Research Grade 50mm Diameter V, R, I filter for UBVRT	873
AD41	C-mount Camera to CFW	136	RG 50D BVR	FLI Research Grade 50mm Diameter B, V, R filter for UBVRT	963
AD42	MicroLine to CFW to Nikon F-mount	226	RG 50D L	FLI Research Grade 50mm Diameter Luminance IR	291
AD43	ProLine or MicroLine (63.5mm Shutter) to 2" SC thread	252	RG 50D C	FLI Research Grade 50mm Diameter Clear	155
AD45	CFW-5-7 to Astro-Physics 2.7" male	155			
AD47	ProLine / Canon EOS Adapter	252	RG 50S LRGB	FLI Research Grade 50mm Square LRGB	1.674
AD47L	MicroLine / Canon EOS Adapter	252	RG 50S Ha (8nm)	FLI Research Grade 50mm Square H-alpha 7 nm	640
AD49	MicroLine to C-mount	78	RG 50S SII (8nm)	FLI Research Grade 50mm Square Sulfur II (8 nm)	640
AD50	C-mount to C-mount	97	RG 50S OIII (8nm)	FLI Research Grade 50mm Square Oxygen III (8 nm)	640
	<b>ATLAS</b>		RG 50S UBVRT	FLI Research Grade 50mm Square UBVRT	1.933
AD51	CFW 1 and 2 to Atlas, MicroLine to Atlas	231	RG 50S L	FLI Research Grade 50mm Square Luminance IR	291
AD52	CFW 3, 4, 5 to Atlas	231	RG 50S C	FLI Research Grade 50mm Square Clear	155
AD53	88mm Takahashi dovetail, Astro-Physics (female) to Atlas	231			
AD54	Takahashi FSQ106 to Atlas (92mm x 1.0 female)	231	RG 65S LRGB	FLI Research Grade 65mm Square LRGB	3.594
AD55	Takahashi 92mm x 1.0 male to Atlas	231	RG 65S Ha (8nm)	FLI Research Grade 65mm Square H-alpha 8 nm	1.875
AD56	Takahashi 72mm x 1.0 female to Atlas	231	RG 65S Hb (5.8nm)	FLI Research Grade 65mm Square H-beta 5.8 nm	1.875
AD57	Takahashi FSQ85 to Atlas (72mm x 1.0 male)	231	RG 65S SII	FLI Research Grade 65mm Square Sulfur II	1.875
AD58	Astro-Physics 2.7" 24TPI male to Atlas	231	RG 65S OIII	FLI Research Grade 65mm Square Oxygen III	1.875
AD59	Atlas to Canon bayonet	381	RG 65S UBVRT	FLI Research Grade 65mm Square UBVRT	9.890
AD60	Atlas to Proline	252	RG 65S L	FLI Research Grade 65mm Square Luminance IR	911
AD62	CenterLine to Atlas	231	RG 65S C	FLI Research Grade 65mm Square AR Coated Clear	453
	<b>CENTERLINE</b>				
AD62	CenterLine to Atlas	231			
AD70	CenterLine to ProLine	231			
AD71	CenterLine to MicroLine	231			
	<b>CABLES &amp; (SPARE) POWER SUPPLIES</b>				
PT-1	48" male connector to camer with open ended wires	32			
Short Cable Kit	12" cable kit	32			
Medium Cable Kit	24" cable kit	45			
External Trigger	9" cable one ended connector with bare end	58			
PS-ML/PL-AU	14' length power brick w/ line cord, Australia adapter	162			

## CAMERA GEAR

# Research Grade Filter

## 28mm Round Filters

FLI Research Grade 28mm Diameter LRGB filters	769
FLI Research Grade 28mm Diameter UBVRT filters	769
FLI Research Grade 28mm Diameter V, R, I filter from UBVRT	446
FLI Research Grade 28mm Diameter U, B filter from UBVRT	375
FLI Research Grade 28mm Diameter Luminance filter	181

## 50mm Round Filters

FLI Research Grade 50mm Diameter LRGB filters	1.545
FLI Research Grade 50mm Diameter H-alpha 5 nm	1.875
FLI Research Grade 50mm Diameter H-alpha 8 nm	640
FLI Research Grade 50mm Diameter SII	640
FLI Research Grade 50mm Diameter OIII	640
FLI Research Grade 50mm Diameter UBVRT filters	1.933
FLI Research Grade 50mm Diameter V, R, I filter for UBVRT	873
FLI Research Grade 50mm Diameter B, V, R filter for UBVRT	963
FLI Research Grade 50mm Diameter Luminance IR	291
FLI Research Grade 50mm Diameter Clear	155

## 50mm x 50mm Square Filters

FLI Research Grade 50mm Square LRGB	1.674
FLI Research Grade 50mm Square H-alpha 7 nm	640
FLI Research Grade 50mm Square Sulfur II (8 nm)	640
FLI Research Grade 50mm Square Oxygen III (8 nm)	640
FLI Research Grade 50mm Square UBVRT	1.933
FLI Research Grade 50mm Square Luminance IR	291
FLI Research Grade 50mm Square Clear	155

## 65mm x 65mm Square Filters

FLI Research Grade 65mm Square LRGB	3.594
FLI Research Grade 65mm Square H-alpha 8 nm	1.875
FLI Research Grade 65mm Square H-beta 5.8 nm	1.875
FLI Research Grade 65mm Square Sulfur II	1.875
FLI Research Grade 65mm Square Oxygen III	1.875
FLI Research Grade 65mm Square UBVRT	9.890
FLI Research Grade 65mm Square Luminance IR	911
FLI Research Grade 65mm Square AR Coated Clear	453

Alle Preise EURO incl. Umsatzsteuer, EU-verzollt, ab Lager Augsburg.

Preisänderung und Irrtum vorbehalten. Preisbasis ist der derzeitige Dollarkurs.

Es gelten unsere allgemeinen Geschäftsbedingungen. Gerichtsstand und Erfüllungsort ist Augsburg. Bis zur völligen Bezahlung bleibt die Ware unser Eigentum. Zahlung per Nachnahme oder Vorkasse.

Intercon Spacetec ist Division und eingetragene Marke der

Intercon Markenartikel Fabrikation & Vertrieb GmbH.

Geschäftsführer: Martin Birkmaier, Sitz: Augsburg.

Amtsgericht Augsburg HRB 7805. UST-ID: DE 127 485 419.